



Advanta Genetics
 10935 CR 159 Tyler, TX 75703
 Phone: (903) 805-9955 Fax: (903) 839-2494
 www.aalabs.com

CLIA: 45D2063134
 CAP: 8863194

Laboratory Director: Mary Long, Ph.D., NRCC

Patient: Test Patient
DOB: 01-01-2020
Gender: Male

Accession: 123456
Specimen: Nasopharyngeal Swab
Provider: Test Provider

Client: Test Client
Collected Date: 12-28-2022
Report Date: 12-29-2022

Advantage Respiratory
FINAL RESULT

Organism(s) Tested	Qualitative Result
Bordetella	NEGATIVE
Chlamydophila pneumoniae	NEGATIVE
Haemophilus influenzae	POSITIVE
Haemophilus influenzae B	NEGATIVE
Human adenovirus	POSITIVE
Human bocavirus	NEGATIVE
Human coronavirus 229E	NEGATIVE
Human coronavirus HKU1	NEGATIVE
Human coronavirus NL63	NEGATIVE
Human coronavirus OC43	NEGATIVE
Human metapneumoviruses	NEGATIVE
Human parainfluenza 1 virus	NEGATIVE
Human parainfluenza 2 virus	NEGATIVE
Human parainfluenza 3 virus	NEGATIVE
Human parainfluenza 4 virus	NEGATIVE
Human parechovirus	NEGATIVE
Human respiratory syncytial viruses	NEGATIVE
Human rhinovirus/Enterovirus	NEGATIVE
Influenza A virus	NEGATIVE
Influenza A virus H1N1 swl	NEGATIVE
Influenza B virus	NEGATIVE
Influenza C virus	NEGATIVE
Klebsiella pneumoniae	NEGATIVE
Legionella	NEGATIVE
Moraxella catarrhalis	POSITIVE
Mycoplasma pneumoniae	NEGATIVE
Pneumocystis jirovecii	NEGATIVE
Salmonella spp.	NEGATIVE
Staphylococcus aureus	NEGATIVE
Streptococcus agalactiae (GBS)	NEGATIVE
Streptococcus pneumoniae	NEGATIVE
Streptococcus pyogenes (GAS)	NEGATIVE

Antibiotic Resistance Gene(s) Tested	Result
Methicillin (METR)	POSITIVE
Vancomycin (VANR)	NEGATIVE

Laboratory Notice

This nucleic acid amplification test was developed, and its performance characteristics determined with polymerase chain reaction (PCR) by Advanta Genetics, LLC. CLIA: 45D2063134 Laboratory Director: Mary Long, Ph.D., NRCC. This test is a lab developed test and has not been cleared or approved by the FDA. This laboratory is regulated under CLIA as qualified to perform high complexity testing and accredited by the College of American Pathologists (CAP). These tests are used for clinical purposes. They should not be regarded as investigational or for research purposes.

THE HUMAN ADVANTAGE

IN LABORATORY TESTING

Accession# 123456

Patient Test Patient

DOB 01-01-2020

Respiratory FINAL RESULT

Page 1 of 1